



D:\Projects\IRW\SantiagoCreek\PRO\SCD\SCD_Proj.aprx\Aerial_1.tif



Aerial Photograph

Santiago Creek Dam Improvements Project



ATTACHMENT B
NOISE CALCULATIONS

Phase Name	Number per Day	Equipment Type	Typical Noise Level 50 ft from Source, dBA	Noise Level 50 ft Multiple Equipment, dBA	Construction Phase Noise Level, dBA	Receptor 1 - Irvine Regional Park					Receptor 2 - Residences Along Jamboree Road			Receptor 3 - Oak Canyon Park			Receptor 4 - Lakeview Park Camping Area			Receptor 5 - Sensitive Bird Species South of Dam			Receptor 6 - Sensitive Bird Species North of the Dam			Receptor 7 - Sensitive Bird Species Near Primary Staging Area		
						Hard/Soft	Distance	Utilization	Noise Level with Utilization	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level
Part 1 Site Demolition (Excludes Spillway)	1	Excavators	85	85	82	0.00	5070.00	0.40	81	42	0.00	9785.00	36	0.00	9035.00	42	0.00	7640.00	39	0.00	640.00	60	0.00	320.00	66	0.00	8300.00	38
Part 1 Site Demolition (Excludes Spillway)	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Part 2 Site Demolition (Excludes Spillway)	1	Excavators	85	85	82	0.00	5070.00	0.40	81	42	0.00	9785.00	36	0.00	9035.00	42	0.00	7640.00	39	0.00	360.00	65	0.00	590.00	61	0.00	8300.00	38
Part 2 Site Demolition (Excludes Spillway)	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Spillway Demolition: Existing Spillway Demo	3	Air Compressors	80	85	95	0.00	5070.00	0.40	81	55	0.00	9785.00	49	0.00	9035.00	50	0.00	7640.00	51	0.00	200.00	83	0.00	710.00	72	0.00	8300.00	50
Spillway Demolition: Existing Spillway Demo	4	Concrete/Industrial Saws	90	96				0.20	89																			
Spillway Demolition: Existing Spillway Demo	1	Cranes	88	88				0.16	80																			
Spillway Demolition: Existing Spillway Demo	2	Crushing/Proc. Equipment	89	92				1.00	92																			
Spillway Demolition: Existing Spillway Demo	2	Excavators	85	88				0.40	84																			
Spillway Demolition: Existing Spillway Demo	1	Off-Highway Trucks	84	84				0.40	80																			
Spillway Demolition: Existing Spillway Demo	1	Welders	73	73				0.40	69																			
Spillway Demolition: Crush Concrete Demo	1	Crushing/Proc. Equipment	89	89	91	0.00	5070.00	1.00	89	51	0.00	9785.00	45	0.00	9035.00	46	0.00	7640.00	47	0.00	770.00	67	0.00	240.00	77	0.00	8300.00	46
Spillway Demolition: Crush Concrete Demo	1	Excavators	85	85				0.40	81																			
Spillway Demolition: Crush Concrete Demo	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Spillway Demolition: Crush Concrete Demo	2	Off-Highway Trucks	84	87				0.40	83																			
Spillway Demolition: Bridge Pier and Facing Demo	3	Air Compressors	80	85	95	0.00	5070.00	0.40	81	55	0.00	9785.00	49	0.00	9035.00	50	0.00	7640.00	51	0.00	1100.00	68	0.00	290.00	79	0.00	8300.00	50
Spillway Demolition: Bridge Pier and Facing Demo	4	Concrete/Industrial Saws	90	96				0.20	89																			
Spillway Demolition: Bridge Pier and Facing Demo	1	Cranes	88	88				0.16	80																			
Spillway Demolition: Bridge Pier and Facing Demo	2	Crushing/Proc. Equipment	89	92				1.00	92																			
Spillway Demolition: Bridge Pier and Facing Demo	2	Excavators	85	88				0.40	84																			
Spillway Demolition: Bridge Pier and Facing Demo	1	Off-Highway Trucks	84	84				0.40	80																			
Spillway Demolition: Bridge Pier and Facing Demo	1	Welders	73	73				0.40	69																			
Temporary Flood Control Berm	1	Excavators	85	85	88	0.00	5070.00	0.40	81	48	0.00	9785.00	42	0.00	9035.00	43	0.00	7640.00	44	0.00	390.00	70	0.00	1220.00	60	0.00	8300.00	44
Temporary Flood Control Berm	4	Off-Highway Trucks	84	90				0.40	86																			
Temporary Flood Control Berm	1	Rubber Tired Dozers	85	85				0.20	78																			
Temporary Flood Control Berm	1	Rollers	85	85				0.20	78																			
Mobilization	1	Forklifts	85	85	89	0.00	5070.00	0.20	78	49	0.00	9785.00	43	0.00	9035.00	44	0.00	7640.00	45	0.00	660.00	66	0.00	240.00	75	0.00	8300.00	44
Mobilization	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Mobilization	2	Off-Highway Trucks	84	87				0.40	83																			
Mobilization	1	Graders	85	85				0.40	81																			
Mobilization	1	Excavators	85	85				0.40	81																			
Mobilization	2	Skid Steer Loaders	80	83				0.40	79																			
Mobilization	1	Cranes	88	88				0.16	80																			
Demobilization	1	Forklifts	85	85	89	0.00	5070.00	0.20	78	49	0.00	9785.00	43	0.00	9035.00	44	0.00	7640.00	45	0.00	660.00	66	0.00	240.00	75	0.00	8300.00	44
Demobilization	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Demobilization	2	Off-Highway Trucks	84	87				0.40	83																			
Demobilization	1	Graders	85	85				0.40	81																			
Demobilization	1	Excavators	85	85				0.40	81																			
Demobilization	2	Skid Steer Loaders	80	83				0.40	79																			
Demobilization	1	Cranes	88	88				0.16	80																			
Cleanup	2	Scrapers	85	88	88	0.00	5070.00	0.40	84	48	0.00	9785.00	42	0.00	9035.00	43	0.00	7640.00	44	0.00	660.00	65	0.00	240.00	74	0.00	8300.00	43
Cleanup	3	Rubber Tired Dozers	85	90				0.20	83																			

Phase Name	Number per Day	Equipment Type	Typical Noise Level 50 ft from Source, dBA	Noise Level 50 ft Multiple Equipment, dBA	Construction Phase Noise Level, dBA	Receptor 1 - Irvine Regional Park					Receptor 2 - Residences Along Jamboree Road			Receptor 3 - Oak Canyon Park			Receptor 4 - Lakeview Park Camping Area			Receptor 5 - Sensitive Bird Species South of Dam			Receptor 6 - Sensitive Bird Species North of the Dam			Receptor 7 - Sensitive Bird Species Near Primary Staging Area		
						Hard/Soft	Distance	Utilization	Noise Level with Utilization	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level
Stilling Basin: Upstream/Downstream CVC Facing	2	Generator Sets	82	85				0.50	82																			
Stilling Basin: Upstream/Downstream CVC Facing	1	Bore/Drill Rigs	84	84				0.20	77																			
Stilling Basin: Upstream/Downstream CVC Facing	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Stilling Basin: Upstream/Downstream CVC Facing	1	Skid Steer Loaders	80	80				0.40	76																			
Stilling Basin: Upstream/Downstream CVC Facing	2	Cement and Mortar Mixers	85	88				0.40	84																			
Stilling Basin: Basin Steps	2	Surfacing Equipment	76	79	90	0.00	5070.00	0.40	75	50	0.00	9785.00	44	0.00	9035.00	45	0.00	7640.00	46	0.00	970.00	64	0.00	400.00	72	0.00	8300.00	45
Stilling Basin: Basin Steps	1	Pumps	77	77				0.50	74																			
Stilling Basin: Basin Steps	2	Cranes	88	91				0.16	83																			
Stilling Basin: Basin Steps	2	Rough Terrain Forklifts	85	88				0.20	81																			
Stilling Basin: Basin Steps	2	Generator Sets	82	85				0.50	82																			
Stilling Basin: Basin Steps	1	Bore/Drill Rigs	84	84				0.20	77																			
Stilling Basin: Basin Steps	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Stilling Basin: Basin Steps	1	Skid Steer Loaders	80	80				0.40	76																			
Stilling Basin: Basin Steps	2	Cement and Mortar Mixers	85	88				0.40	84																			
Stilling Basin: Chute Blocks	2	Surfacing Equipment	76	79	90	0.00	5070.00	0.40	75	50	0.00	9785.00	44	0.00	9035.00	45	0.00	7640.00	46	0.00	970.00	64	0.00	400.00	72	0.00	8300.00	45
Stilling Basin: Chute Blocks	1	Pumps	77	77				0.50	74																			
Stilling Basin: Chute Blocks	2	Cranes	88	91				0.16	83																			
Stilling Basin: Chute Blocks	2	Rough Terrain Forklifts	85	88				0.20	81																			
Stilling Basin: Chute Blocks	2	Generator Sets	82	85				0.50	82																			
Stilling Basin: Chute Blocks	1	Bore/Drill Rigs	84	84				0.20	77																			
Stilling Basin: Chute Blocks	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Stilling Basin: Chute Blocks	1	Skid Steer Loaders	80	80				0.40	76																			
Stilling Basin: Chute Blocks	2	Cement and Mortar Mixers	85	88				0.40	84																			
Stilling Basin: Detented Sill	2	Surfacing Equipment	76	79	90	0.00	5070.00	0.40	75	50	0.00	9785.00	44	0.00	9035.00	45	0.00	7640.00	46	0.00	970.00	64	0.00	400.00	72	0.00	8300.00	45
Stilling Basin: Detented Sill	1	Pumps	77	77				0.50	74																			
Stilling Basin: Detented Sill	2	Cranes	88	91				0.16	83																			
Stilling Basin: Detented Sill	2	Rough Terrain Forklifts	85	88				0.20	81																			
Stilling Basin: Detented Sill	2	Generator Sets	82	85				0.50	82																			
Stilling Basin: Detented Sill	1	Bore/Drill Rigs	84	84				0.20	77																			
Stilling Basin: Detented Sill	1	Tractors/Loaders/Backhoes	80	80				0.40	76																			
Stilling Basin: Detented Sill	1	Skid Steer Loaders	80	80				0.40	76																			
Stilling Basin: Detented Sill	2	Cement and Mortar Mixers	85	88				0.40	84																			
Spillway Slab Construction: RCC Foundation Support Block	1	Bore/Drill Rigs	84	84	93	0.00	5070.00	0.20	77	53	0.00	9785.00	47	0.00	9035.00	48	0.00	7640.00	49	0.00	800.00	69	0.00	600.00	71	0.00	8300.00	48
Spillway Slab Construction: RCC Foundation Support Block	6	Pumps	77	77				0.50	82																			
Spillway Slab Construction: RCC Foundation Support Block	1	Plate Compactors	82	82				0.20	75																			
Spillway Slab Construction: RCC Foundation Support Block	1	Cranes	88	88				0.16	80																			
Spillway Slab Construction: RCC Foundation Support Block	4	Generator Sets	82	88				0.50	85																			
Spillway Slab Construction: RCC Foundation Support Block	3	Tractors/Loaders/Backhoes	80	85				0.40	81																			
Spillway Slab Construction: RCC Foundation Support Block	3	Rollers	85	90				0.20	83																			
Spillway Slab Construction: RCC Foundation Support Block	3	Rubber Tired Dozers	85	90				0.40	86																			
Spillway Slab Construction: RCC Foundation Support Block	5	Off-Highway Trucks	84	91				0.40	87																			
Spillway Slab Construction: Spillway Chute Slab	2	Surfacing Equipment	76	79	90	0.00	5070.00	0.40	75	50	0.00	9785.00	44	0.00	9035.00	45	0.00	7640.00	47	0.00	800.00	66	0.00	600.00	69	0.00	8300.00	46
Spillway Slab Construction: Spillway Chute Slab	1	Pumps	77	77				0.50	74																			
Spillway Slab Construction: Spillway Chute Slab	2	Cranes	88	91				0.16	83																			
Spillway Slab Construction: Spillway Chute Slab	2	Rough Terrain Forklifts	85																									

Phase Name	Number per Day	Equipment Type	Typical Noise Level 50 ft from Source, dBA	Noise Level 50 ft Multiple Equipment, dBA	Construction Phase Noise Level, dBA	Receptor 1 - Irvine Regional Park					Receptor 2 - Residences Along Jamboore Road			Receptor 3 - Oak Canyon Park			Receptor 4 - Lakeview Park Camping Area			Receptor 5 - Sensitive Bird Species South of Dam			Receptor 6 - Sensitive Bird Species North of the Dam			Receptor 7 - Sensitive Bird Species Near Primary Staging Area			
						Hard/Soft	Distance	Utilization	Noise Level with Utilization	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft	Distance	Noise Level	Hard/Soft
Embankment Mitigation	2	Tractors/Loaders/Backhoes	80	83				0.40	79																				
Embankment Mitigation	4	Dumpers/Tenders	84	90				0.40	86																				
Embankment Mitigation	3	Plate Compactors	82	87				0.40	83																				
Note: A new phase was added to the Project. This phase includes the mitigated placement of the embankment. The type and amount of construction equipment that would be utilized during this new phase was obtained from the Applicant and the Project team.																													